



SSMC NO: 2-01			Date: May 24, 2001		
CP No: MIL00-02		Title: Add Symbol, ATI Zone			
Originator, Name and Address: Army/PM FATDS					
SSMC Action: <input type="checkbox"/> Approved <input checked="" type="checkbox"/> Approved with Changes <input type="checkbox"/> Withdrawn <input type="checkbox"/> Deferred <input type="checkbox"/> Declared Substantive By: <input type="checkbox"/> Disapproved <input type="checkbox"/> Testing Required <input type="checkbox"/> Prior to Decision <input type="checkbox"/> Subsequent to Decision <input type="checkbox"/> Allied Coordination Required			Decision: Approved as modified (MIL 00-02A), in accordance with the FireSupport Hierarchy Analysis change Option C, Modification 1 data.		
Votes Cast/Proposed Change					
Approve	Disapprove	N/A			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Army		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Navy		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MC		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AF		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NIMA		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CINC		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	JIEO		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NSA		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	DIA		
			Chairperson Anneliese Martin (Signature)		

SYMBOLGY CONFIGURATION MANAGEMENT CHANGE PROPOSAL FORM			
CHANGE PROPOSAL NUMBER		MIL00-02A	
ORIGINATOR	SPONSOR	DATE RECEIVED	DATE OF ACTION
PM FATDS	ARMY	1 September 2000	May 24, 2001
CHANGE PROPOSAL TITLE			
ADD NEW SYMBOL, ATI ZONE			
SUGGESTED CHANGE			
<p>The Fire Support community has a requirement to add a new symbol to MIL-STD-2525B.</p> <ol style="list-style-type: none"> 1. The purpose of the radar Artillery Target Intelligence (ATI) Zone symbol is to graphically display to commanders geometry used by fire support radar's to designate an area from which targeting intelligence data of enemy indirect fires is gathered. 2. Recommend adding to hierarchy item 2.X.4, Fire Support, under the "Areas" hierarchy, 2.X.4.3, figure B-17, and table B-IV. <p style="text-align: center;">OVERVIEW:</p> <p>Currently, the standard does not contain a symbol depicting radar ATI Zones. The purpose of the radar ATI Zone symbol is to graphically display to commanders and operators the geometry used with fire support radar's to designate an area from which targeting intelligence data of enemy indirect fires is gathered. Incorporation into MIL STD 2525B, which will be used in GSD, will allow the symbols to be transmitted/received by all battlefield system. The radar ATI Zone is a required symbol for use in the COP/CTP and to be shared across the battlefield. The development of the COP/CTP is required of all ABCS component systems. Fire Support systems are the producer of the radar ATI Zone for the COP/CTP. Fire Support systems will retain this capability for fielding throughout the Army and USMC.</p> <p style="text-align: center;">OPERATIONAL DESCRIPTION</p> <p>In general, an ATI Zone symbol is used to graphically display to commanders and operators the geometry used with fire support radar's to designate an area from which targeting intelligence data of enemy indirect fires would be gathered and sent to Fire Support systems. A minimum of three (3) point locations is required to graphically display an irregular ATI Zone. The minimum information required to interoperate with another system is defined below.</p> <p style="text-align: center;">IMPLEMENTATION</p> <p>Description: Fire Support, Area, ATI Zone</p> <p>Parameters:</p> <ol style="list-style-type: none"> 1.Anchor Points. This graphic requires a minimum of three anchor points to define the boundary of the area. Add as many points as necessary to accurately reflect the area's size and shape. 2.Size/Shape. Determined by the anchor points. The information fields should be moveable and scaleable within the area. 3.Orientation. Not applicable. <p>Fixed/Dynamic: Dynamic</p> <p>Hierarchy: 2.X.4.3.12</p> <p>Symbol ID: G*F*AATIZ-****X</p>			

Tactical Graphic:



Example:



JIEO ANALYSIS

OVERVIEW:

The proposed CP fulfills a need expressed by the Army for a standard Artillery Target Intelligence (ATI) Zone Symbol.

The following changes must be made to the standard to incorporate the proposed changes:

- 1.Revise table B-III, C2 Symbology: Military Operations symbol ID codes, to include the necessary information for the ATI Zone symbol.
- 2.Revise figure B-17, Fire Support, to include the ATI Zone symbol.
- 3.Revise table B-IV, C2 Symbology: Military Operations set, to include a generic and example symbol for ATI Zone.

The Symbol ID as recommended above may be interpreted as a symbol hierarchy subcategory of the Fire Support Area (FSA). However, looking at the hierarchy number of FSA and the recommended hierarchy number for ATI Zone the symbols are on the same hierarchical level. The problem in this case exists specifically within the Function ID. This is because the first two characters of each symbol's function ID are identical. The table below illustrates this point.

ATI Zone	2.X.4.3.12			Fire Support Area (FSA)	2.X.4.3.1		
		Function ID				Function ID	
Symbol ID	G*F*	AA TI Z-	****X	Symbol ID	G*F*	AA -- --	****X

It is possible for two symbols to have identical function IDs within their respective symbol IDs but only if each has a different coding scheme and/or category code. Thus creating a unique symbol ID. Otherwise, symbols from the same symbol set and category must have unique function IDs to differentiate the two symbols. Each character of the function ID represents a subcategory for each hierarchy category. In the example above the first "A" of the function ID represents the Fire Support subcategory "Areas." The second "A" has already been assigned to the previously approved Fire Support / Areas / Fire Support Area symbol. Therefore, the second character in a Fire Support / Areas / ATI Zone function ID cannot be "A."

A solution is not recommended here due to the fact that this change proposal is one of 43 change proposals submitted by the Army, all of which deal with the Fire Support category of C2 Symbology: Military Operations symbol set. This situation required a broader scope of analysis to deconflict the proposed symbols with the existing symbols. For possible solutions to this conflict, see the Fire Support Hierarchy Analysis located on the Change Proposal/Coordination page of the symbology web site.

CONFORMANCE TO SYMBOL GUIDELINES:

The proposed ATI Zone symbol follows the rules concerning composition, construction, display, and transmission

previously set forth in the standard.

ADEQUACY AND IMPACT ON OTHER PROGRAMS:

None known.

C/S/A COMMENTS

DECISION NOTICE

Approved at SSMC 2-01 with the following changes:

Restructure the entire 2.X.4 (Fire Support) hierarchy IAW the Fire Support Hierarchy Analysis, Change Option C with modification 1 (does not include graphics which are still pending review and approval [MIL00-11 through MIL00-44]). See Attachment A.

Attachment A

Tasks:

1. Modify Figure B-17 to reflect new hierarchy structure (Figure B-17 becomes Figures B-17.1 and B-17.2) and addition of new Fire Support graphics.




Figure B-17.1. Fire Support.




Figure B-17.2. Fire support.

Attachment A

2. Modify Table B-III to reflect restructured hierarchy numbers, provide new symbol IDs for restructured graphics and addition of new graphics' hierarchy numbers and symbol IDs.

HIERARCHY	CODE SCHEME	AFFILIATION	CATEGORY	STATUS	FUNCTION ID	SIZE/MOBILITY	COUNTRY CODE	ORDER OF BATTLE	DESCRIPTION
2.X.4	G	*	F	*	-- -- --	**	**	X	FIRE SUPPORT
2.X.4.1	G	*	F	*	P- -- --	**	**	X	POINT
2.X.4.1.1	G	*	F	*	PT -- --	**	**	X	TARGET
2.X.4.1.1.1	G	*	F	*	PT S- --	**	**	X	POINT/SINGLE TARGET
2.X.4.1.1.2	G	*	F	*	PT N- --	**	**	X	NUCLEAR TARGET
2.X.4.1.2	G	*	F	*	PC -- --	**	**	X	COMMAND AND CONTROL
2.X.4.1.2.1	G	*	F	*	PC F- --	**	**	X	FIRE SUPPORT STATION
2.X.4.2	G	*	F	*	L- -- --	**	**	X	LINES
2.X.4.2.1	G	*	F	*	LT -- --	**	**	X	LINEAR TARGET
2.X.4.2.1.1	G	*	F	*	LT S- --	**	**	X	LINEAR SMOKE TARGET
2.X.4.2.1.2	G	*	F	*	LT F- --	**	**	X	FINAL PROTECTIVE FIRE (FPF)
2.X.4.2.2	G	*	F	*	LC -- --	**	**	X	COMMAND AND CONTROL
2.X.4.2.2.1	G	*	F	*	LC F- --	**	**	X	FIRE SUPPORT COORDINATION LINE (FSCL)
2.X.4.2.2.2	G	*	F	*	LC C- --	**	**	X	COORDINATED FIRE LINE (CFL)
2.X.4.2.2.3	G	*	F	*	LC N- --	**	**	X	NO-FIRE LINE (NFL)
2.X.4.2.2.4	G	*	F	*	LC R- --	**	**	X	RESTRICTIVE FIRE LINE (RFL)
2.X.4.3	G	*	F	*	A- -- --	**	**	X	AREAS
2.X.4.3.1	G	*	F	*	AT -- --	**	**	X	AREA TARGET
2.X.4.3.1.1	G	*	F	*	AT C- --	**	**	X	CIRCULAR TARGET
2.X.4.3.1.2	G	*	F	*	AT R- --	**	**	X	RECTANGULAR TARGET
2.X.4.3.1.3	G	*	F	*	AT G- --	**	**	X	SERIES OR GROUP OF TARGETS
2.X.4.3.1.4	G	*	F	*	AT S- --	**	**	X	SMOKE
2.X.4.3.1.5	G	*	F	*	AT B- --	**	**	X	BOMB AREA
2.X.4.3.2	G	*	F	*	AC -- --	**	**	X	COMMAND AND CONTROL
2.X.4.3.2.1	G	*	F	*	AC S- --	**	**	X	FIRE SUPPORT AREA (FSA)
2.X.4.3.2.2	G	*	F	*	AC A- --	**	**	X	AIRSPACE COORDINATION AREA (ACA)
2.X.4.3.2.3	G	*	F	*	AC F- --	**	**	X	FREE FIRE AREA (FFA)
2.X.4.3.2.4	G	*	F	*	AC N- --	**	**	X	NO-FIRE AREA (NFA)
2.X.4.3.2.5	G	*	F	*	AC R- --	**	**	X	RESTRICTIVE FIRE AREA (RFA)
2.X.4.3.2.6	G	*	F	*	AC P- --	**	**	X	POSITION AREA FOR ARTILLERY (PAA)
2.X.4.3.3	G	*	F	*	AZ -- --	**	**	X	TARGET ACQUISITION ZONES
2.X.4.3.3.1	G	*	F	*	AZ I- --	**	**	X	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE
2.X.4.3.3.1.1	G	*	F	*	AZ II --	**	**	X	ARTILLERY TARGET INTELLIGENCE (ATI) ZONE, IRREGULAR
2.X.4.3.3.2	G	*	F	*	AZ X- --	**	**	X	CALL FOR FIRE ZONE (CFFZ)
2.X.4.3.3.2.1	G	*	F	*	AZ XI --	**	**	X	CALL FOR FIRE ZONE (CFFZ), IRREGULAR
2.X.4.3.3.3	G	*	F	*	AZ S- --	**	**	X	SENSOR ZONE
2.X.4.3.3.3.1	G	*	F	*	AZ SI --	**	**	X	SENSOR ZONE, IRREGULAR
2.X.4.3.3.4	G	*	F	*	AZ C- --	**	**	X	CENSOR ZONE
2.X.4.3.3.4.1	G	*	F	*	AZ CI --	**	**	X	CENSOR ZONE, IRREGULAR
2.X.4.3.3.5	G	*	F	*	AZ D- --	**	**	X	DEAD SPACE AREA (DA)
2.X.4.3.3.5.1	G	*	F	*	AZ DI --	**	**	X	DEAD SPACE AREA (DA), IRREGULAR
2.X.4.3.3.6	G	*	F	*	AZ F- --	**	**	X	CRITICAL FRIENDLY ZONE (CFZ)
2.X.4.3.3.6.1	G	*	F	*	AZ FI --	**	**	X	CRITICAL FRIENDLY ZONE (CFZ), IRREGULAR
2.X.4.3.3.7	G	*	F	*	AZ Z- --	**	**	X	ZONE OF RESPONSIBILITY (ZOR)
2.X.4.3.3.7.1	G	*	F	*	AZ ZI --	**	**	X	ZONE OF RESPONSIBILITY (ZOR), IRREGULAR
2.X.4.3.3.8	G	*	F	*	AZ B- --	**	**	X	TARGET BUILD-UP AREA (TBA)

Attachment A

DESCRIPTION	ORDER OF BATTLE	COUNTRY CODE	SIZE/MOBILITY	FUNCTION ID	STATUS	CATEGORY	AFFILIATION	CODE SCHEME	HIERARCHY
TARGET BUILD-UP AREA (TBA), IRREGULAR	X	**	**	AZ BI --	*	F	*	G	2.X.4.3.3.8.1
TARGET VALUE AREA (TVAR)	X	**	**	AZ V- --	*	F	*	G	2.X.4.3.3.9
TARGET VALUE AREA (TVAR), IRREGULAR	X	**	**	AZ VI --	*	F	*	G	2.X.4.3.3.9.1
WEAPON/RADAR RANGE FAN	X	**	**	AX -- --	*	F	*	G	2.X.4.3.4
WEAPON/RADAR RANGE FAN, CIRCULAR	X	**	**	AX C- --	*	F	*	G	2.X.4.3.4.1
WEAPON/RADAR RANGE FAN, SECTOR	X	**	**	AX S- --	*	F	*	G	2.X.4.3.4.2

3. Modify and amend Table B-IV as needed to agree with Figure B-17.1, B-17.2 and Table B-III as shown above.